

Suzhou Haoxinhe Electrical Equipment Co., Ltd. is a high-tech enterprise integrating scientific research and development, manufacturing, sales and service.

Our company biggest advantage is to make non-standard customized machines. Believe us, we have made so many different customized cutting machine before. Now our company can meet 80%-90% of the customization requirements.

Our main products: hot and cold cutting machine, automatic cutting punching machine, round cutting machine, rotary bevel cutting machine, special shapes cutting machine, wire cutting and stripping machine, metal pipe cutting and beveling machine and other related cutting equipment for various strips/sheets/tubular materials, especially for non-standard requirements.

*Quality is our culture!*  
*Your satisfaction is our motivation!*

Mob: +86-13270987536

Tel: +86-189-13246273

E-mail: [cherryhaoxinhez@gmail.com](mailto:cherryhaoxinhez@gmail.com)  
[haoxinhe6@foxmail.com](mailto:haoxinhe6@foxmail.com)

Web: <https://hxcuttingmachine.com>

Add: 727 Unit 105 Huaduyishu 215313 Zhoushi Kunshan Jiangsu China



Website

*Suzhou Haoxinhe Electrical Equipment Co., Ltd.*



Wechat



★ HX-200DK-A1

Cat Eye Velcro Cable Tie Punching Machine



Website



WA for video

★ Introduction

**Precision Velcro Nylon Strap Punching and Cutting Machine**

Maximize efficiency with our Velcro Nylon Strap Punching and Cutting Machine, designed for fast and precise production of Velcro straps used in cable management. This specialized machine ensures clean cuts and punches, perfect for organizing and securing cables with high-quality Velcro nylon straps.

**Key Features:**

- Efficient and Precise: Quick processing with accurate results.
- Durable and User-Friendly: Easy to operate, built to last.

Model	Blade	Voltage	Weight	Cutting length	Cutting width
HX-200DK-A1	Cold	110/220V	150 kg	1-99999mm	Custom

★ HX-200DK-A2

Adhesive Velcro Die Punching Machine



★ Introduction

**Adhesive Velcro Die Punching Machine**

Elevate your production capabilities with our Adhesive Velcro Die Punching Machine, engineered for precision and reliability. This machine is specifically designed to efficiently punch and cut adhesive Velcro, ideal for applications requiring strong, durable fastening solutions.

**Key Features:**

- Precision Punching: Delivers clean and exact punches, enhancing product consistency.
- High-Speed Operation: Ensures rapid production without compromising on quality.

Model	Blade	Voltage	Weight	Cutting length	Cutting width
HX-200DK-A2	cold	110/220V	250kg	1-99999mm	Custom



★ HX-200DK-B1

Webbing Nylon Punching Cutting Machine



★ Introduction

**Maximize your production efficiency with our Webbing Nylon Punching Cutting Machine**, specifically designed for precision cutting and punching of nylon webbing. This robust machine is ideal for industries requiring high-speed manufacturing of webbing products such as straps, belts, and other fastening materials.

**Key Features:**

- High-Speed Capabilities:** Engineered to handle continuous production, enhancing throughput and reducing downtime.
- Versatility:** Adapts to various webbing widths and materials, offering flexibility across multiple applications.

Model	Blade	Voltage	Weight	Cutting length	Cutting width
HX-200DK-B1	Cold	110/220V	110 kg	1-99999mm	Custom




Website



WA for video

★ HX-200DK-B2

EVA Gasket Punching and Cutting Machine



★ Introduction

**EVA Gasket Punching and Cutting Machine**

Enhance your manufacturing process with our EVA Gasket Punching and Cutting Machine, designed to deliver precision and efficiency in producing EVA gaskets. This machine is tailored for the automotive, electronics, and construction industries, where high-quality gasket production is crucial.

**Key Features:**

- Precision Cutting and Punching:** Ensures exact dimensions and smooth edges for each gasket, crucial for their sealing performance.
- Adaptable to Various Thicknesses:** Easily adjusts to different EVA material thicknesses, providing flexibility in production.

Model	Blade	Voltage	Weight	Cutting length	Cutting width
HX-200DK-B2	cold	110/220V	250kg	1-99999mm	Custom

★ HX-200DK-C1

PVC Lithium Battery Heat Shrink Film Printing and Cutting Machine



Website



WA for video

★ Introduction

PVC Lithium Battery Heat Shrink Film Printing and Cutting Machine

Elevate your production capabilities with the PVC Lithium Battery Heat Shrink Film Printing and Cutting Machine, tailored for the specialized needs of lithium battery packaging. This innovative machine integrates advanced printing and precision cutting technologies to produce high-quality heat shrink films for battery insulation and branding.

Key Features:

Integrated Printing and Cutting: Streamlines the production process by combining high-resolution printing and precise cutting in one operation, enhancing efficiency and throughput.

High-Quality Printing: Utilizes state-of-the-art printing technology to deliver clear, vibrant graphics and text for branding and informational purposes on heat shrink films.

Model	Blade	Voltage	Weight	Cutting length	Cutting width
HX-200DK-C1	Cold	110/220V	50 kg	1-99999mm	Custom

★ HX-200DK-C2

PVC Furniture Edge Banding Printing Punching and Cutting Machine



★ Introduction

Transform the finishing touches of your furniture production with the PVC Furniture Edge Banding Printing, Punching, and Cutting Machine. This comprehensive solution is engineered to handle the demanding needs of PVC edge banding production, offering printing, punching, and cutting functionalities in a single streamlined operation.

Key Features:

Multi-Functional Operation: Combines high-resolution printing, precise punching, and accurate cutting processes, enhancing efficiency and productivity by consolidating multiple production steps into one machine.

Advanced Printing Capabilities: Delivers exceptional print quality for detailed designs and vibrant colors, ensuring that the edge banding complements the aesthetic of the furniture.

Model	Blade	Voltage	Weight	Cutting length	Cutting width
HX-200DK-C2	cold	110/220V	42kg	1-99999mm	Custom



★ HX-200DK-D1

Paper Exhibition Lanyard Cutting Machine



★ Introduction

Paper Exhibition Lanyard Cutting Machine

Experience unmatched versatility with the Paper Exhibition Lanyard Cutting Machine, engineered for precise cutting of eco-friendly paper materials used in exhibition lanyards and beyond. This machine is the ultimate solution for businesses requiring high-precision cutting solutions, perfectly suited for both exhibition needs and various other events.

Key Features:

Eco-Friendly Design: Specifically designed for cutting eco-friendly paper materials, supporting sustainable business practices.

User-Friendly Interface: Features an intuitive user interface and setup process, enabling operators to quickly learn and efficiently manage the machine.

Model	Blade	Voltage	Weight	Cutting length	Cutting width
HX-200DK-D1	Cold	110/220V	110 kg	1-99999mm	Custom



Website



WA for video

★ HX-200DK-D2

PVC Screw Insulation Gasket Plastic Sealing Washer Die Punching Machine



★ Introduction

PVC Screw Insulation Gasket Plastic Sealing Washer Die Punching Machine

Discover the pinnacle of precision and efficiency with our PVC Screw Insulation Gasket Plastic Sealing Washer Die Punching Machine, specifically engineered for the high-speed production of PVC screw insulation gaskets and plastic sealing washers. This machine provides a robust solution for manufacturers looking to enhance productivity and maintain the highest standards of quality and precision.


Key Features:

Customizable Die Configurations: Comes equipped with easily interchangeable dies, allowing for quick adjustments to produce different sizes and shapes, meeting diverse market needs.

Model	Blade	Voltage	Weight	Cutting length	Cutting width
HX-200DK-D2	cold	110/220V	42kg	1-99999mm	Custom

★ HX-200DK-E1

Ribbon Rotating Multi-Shape Cutting Machine



Website



WA for video

★ Introduction

Ribbon Rotating Multi-Shape Cutting Machine

Experience versatility like never before with our Ribbon Rotating Multi-Shape Cutting Machine, engineered for seamless transition between diverse cutting shapes including trapezoids, bevels, quadrilaterals, and diamonds. This machine is the ultimate solution for businesses requiring precision in varied geometric cutting tasks.


Key Features:

Robust and Reliable: Built with durability in mind, ensuring long-term operational stability.  
Versatile Shape Options: Easily switch between different shapes to meet specific cutting requirements.

Model	Blade	Voltage	Weight	Cutting length	Cutting width
HX-200DK-E1	Cold	110/220V	40 kg	1-99999mm	Custom

★ HX-200DK-E2

Lithium Battery Connection Nickel Strip Punching Cutting Machine



★ Introduction

Lithium Battery Connection Nickel Strip Punching Cutting Machine

Optimize your battery assembly with the Lithium Battery Connection Nickel Strip Punching Cutting Machine, specifically designed to streamline the production of nickel strips for lithium battery connections. This machine ensures precision cuts and punches, ideal for manufacturing high-performance battery packs efficiently.

Key Features:

High Precision: Delivers exact punches and cuts, crucial for optimal battery performance.  
Durable Design: Constructed for continuous use, maintaining performance over extensive operational periods.

Model	Blade	Voltage	Weight	Cutting length	Cutting width
HX-200DK-E2	cold	110/220V	42kg	1-99999mm	Custom





★ HX-200DK-F1

Dental Orthodontic Rubber Chain Cutting and Punching Machine



★ Introduction

**Dental Orthodontic Rubber Chain Cutting and Punching Machine**  
Optimize precision and efficiency in orthodontic product manufacturing with the Dental Orthodontic Rubber Chain Cutting and Punching Machine. Specifically engineered for the delicate and accurate processing of rubber chains used in dental braces, this machine offers high-speed performance without compromising the material's elasticity and integrity.

**Key Features:**  
Precision Cutting: Delivers consistent, burr-free cuts suitable for clinical-grade orthodontic rubber chains, ensuring smooth edges for patient comfort and safety.  
Integrated Punching Function: Equipped with a specialized punching system to create precise connection points or holes as required for various orthodontic applications.

Model	Blade	Voltage	Weight	Cutting length	Cutting width
HX-200DK-F1	Cold	110/220V	120kg	1-99999mm	Custom



Website



WA for video

★ HX-200DK-F2

Webbing Velcro Label Sawtooth Wave Shape Cutting Machine



★ Introduction

**Webbing Velcro Label Sawtooth Wave Shape Cutting Machine**  
Add precision and creativity to your label and webbing production with the Webbing Velcro Label Sawtooth Wave Shape Cutting Machine. Designed to deliver clean, consistent cuts in custom sawtooth or wave patterns, this machine is perfect for manufacturers looking to enhance the appearance, function, and uniqueness of Velcro straps, fabric labels, and textile webbing.

**Key Features:**  
Specialty Sawtooth & Wave Cutting: Creates decorative and functional edges with sawtooth or wave patterns, ideal for anti-fraying and improved grip in Velcro or textile applications.  
Heat-Sealing Option: Optional hot knife system available to seal edges as they are cut, preventing fraying and improving product durability.

Model	Blade	Voltage	Weight	Cutting length	Cutting width
HX-200DK-F2	cold	110/220V	42kg	1-99999mm	Custom

## HX-160HL hot cutting machine

切割速度: 100-120片 (以50mm长度为例)

Cutting Speed: 100-120pcs/min

切割材质: 商标带, 尼龙带, 织带, 彩色缎带, 背包带, 鞋带...

Cutting Material: Label, Nylon, ribbon, braids, color ribbon, backpack, laces...



Website



WA for video

## HX-400/600/800/1000/1200/1500 computer cutter

切割速度: 100-120片 (以50mm长度为例)

Cutting Speed: 100-120pcs/min

切割材质: 套管、塑料软管状、片状、膜状、布料类、皮革类、纸类、带状及金属薄片...

Cutting Material: Casing, plastic hose, sheet, film, cloth, leather, paper, ribbon and foil...



Can add splitting function

Blade	Voltage	Power	Weight	Cutting length	Cutting width
Hot	110/220V	0.78kw	90/102kg	1-99999mm	1-160mm

Blade	Voltage	Power	Weight	Cutting length	Cutting width
cold	110/220V	0.68kw	85/98kg	1-99999mm	1-400mm/1-600mm 1-800mm/1-1000mm 1-1200mm/1-1500mm



## HX-1800 Cutting and receiving machine

切割速度: 100-120片 (以50mm长度为例)

Cutting Speed: 100-120pcs/min

切割材质: 片状、膜状、布料类、皮革类、纸类、带状...

Cutting Material : sheet, film, cloth, leather, paper, ribbon...



Website



HAOXINHE



Website



WA for video


## HX-580 Ultrasonic cutting machine

切割速度: 300-400片 (以30mm长度为例)

Cutting Speed: 300-400pcs/min

切割材质: 礼品带、条形尼龙带、条形丝带等剪切直刀,斜刀,燕尾等形状...

Cutting Material : Gift belts, strip nylon belts, strip ribbons, etc. Cut straight knives, oblique knives, swallowtails, etc....



Blade	Voltage	Power	Weight	Cutting length	Cutting width
cold	110/220V	1.5kw	300kg	1-99999mm	1-1800mm

Blade	Voltage	Power	Weight	Cutting length	Cutting width
hot cold	110/220V	1.1kw	110kg	1-99999mm	1-95mm

HX-CHSDK08 打孔切带机  
HX-CHSDK08 punching and cutting machine



Website



WA for video

切割速度: 100-120片 (以50mm长度为例)  
Cutting Speed: 80-110pcs/min  
切割材质: 商标带, 尼龙带, 织带, 彩色缎带, 背包带, 鞋带...  
Cutting Material: Label, Nylon, ribbon, braids, color ribbon, backpack, laces...

can customzie many different  
molds for different requirements



Cutting Blade	Cutting width	Punching holes	Punching diameter
Hot/ cold	1-100mm	hot/cold	1-5mm (customized others)

HX-860 大型打孔切带机  
HX-860 Big Punching and cutting machine

切割速度: 0-200片 (以50mm长度为例)  
Cutting Speed: 0-200pcs/min  
切割材质: 尼龙带, 织带, 彩色缎带, 背包带, 鞋带...  
Cutting Material: Nylon, ribbon, braids, color ribbon, backpack, laces...



Blade	Voltage	Power	Weight	Cutting length	Cutting width
cold	110/220V	0.25kw	23/25kg	1-99999mm	1-95mm



## HX-CHS01 zipper magic special cutter

切割速度: 100-120片 (以50mm长度为例)

Cutting Speed: 100--120pcs/min

切割材质: 拉链, 魔术贴, 粘贴带, 胶带, 皮革, 电线, 套管...

Cutting Material: zipper,velcro,hook and loop,adhesive tape,belt,wire,sleeving...



HAOXINHE



Website



WA for video

## HX-CHS02 round shape cutter

切割速度: 100-120片 (以50mm长度为例)

Cutting Speed: 100-120pcs/min

切割材质: 魔术贴、粘贴带、编织带、胶带、皮革、电线、套管、拉链...

Cutting Material: velcro,hook and loop,wowen tape,adhesive tape,belt,wire,sleeving,zipper...



Blade	Voltage	Power	Weight	Cutting length	Cutting width
cold	110/220V	0.25kw	23/25kg	1-99999mm	1-95mm

Blade	Voltage	Power	Weight	Cutting length	Cutting width
cold	110/220V	0.25kw	23/25kg	1-99999mm	1-95mm for straight 1-80mm for round

## HX-CHS04 ribbon hot special cutter

切割速度: 100-120片 (以50mm长度为例)

Cutting Speed: 100-120pcs/min

切割材质: 尼龙带, 织带, 彩色缎带, 背包带, 鞋带...

Cutting Material: Nylon, ribbon, braids, color ribbon, backpack, laces...



Mainly for thin material



HAOXINHE



Website



WA for video

## HX-CHS05 straight beveling cutter

切割速度: 100-120片 (以50mm长度为例)

Cutting Speed: 100-120pcs/min

切割材质: 尼龙带, 织带, 彩色缎带, 背包带, 鞋带...

Cutting Material: Nylon, ribbon, braids, color ribbon, backpack, laces...



Blade	Voltage	Power	Weight	Cutting length	Cutting width
Hot	110/220V	0.5kw	23/25kg	1-99999mm	1-95mm

Blade	Voltage	Power	Weight	Cutting length	Cutting width
Hot	110/220V	0.5kw	23/25kg	1-99999mm	1-95mm for staight 1-60mm for beveling





## HX-CHS95M Hot and cold cutter

切割速度: 100-120片 (以50mm长度为例)

Cutting Speed: 100-120pcs/min

切割材质: 尼龙带, 织带, 彩色缎带, 背包带, 鞋带, 拉链, 魔术贴...

Cutting Material: Nylon, ribbon, braids, color ribbon, backpack, laces, zipper, velcro...



Website



WA for video

## HX-CHS95ML elastic cutter

切割速度: 100-120片 (以50mm长度为例)

Cutting Speed: 100-120pcs/min

切割材质: 松紧带, 尼龙带, 织带, 彩色缎带, 背包带, 鞋带...

Cutting Material: Elastic tape, nylon, ribbon, braids, color ribbon, backpack, laces...

Make the elastic balance



Blade	Voltage	Power	Weight	Cutting length	Cutting width
hot cold	110/220V	0.44kw	23/25kg	1-99999mm	1-95mm

Blade	Voltage	Power	Weight	Cutting length	Cutting width
hot cold	110/220V	0.44kw	38/42kg	1-99999mm	1-95mm



## HX-120S Labels special cutter

切割速度: 100-120片 (以50mm长度为例)

Cutting Speed: 100-120pcs/min

切割材质: 商标带, 尼龙带, 织带, 彩色缎带, 背包带, 鞋带...

Cutting Material: Label, tradem, nylon, ribbon, braids, color ribbon, backpack, laces...



Website



WA for video

with fixed length and color tracking function

## HX-CHS10 many shapes cutter

切割速度: 100-120片 (以50mm长度为例)

Cutting Speed: 80-110pcs/min

切割材质: 尼龙带, 织带, 彩色缎带, 背包带, 鞋带...

Cutting Material: Nylon, ribbon, braids, color ribbon, backpack, laces...



Blade	Voltage	Power	Weight	Cutting length	Cutting width
hot	110/220V	0.5kw	28/32kg	1-99999mm	1-95mm for staight 1-60mm for beveling



## HX-CHS084 冷热一体切带机

### HX-CHS084 Cold hot cutting machine

切割速度: 100-120片 (以50mm长度为例)

Cutting Speed: 100-120pcs/min

切割材质: 商标带, 尼龙带, 织带, 彩色缎带, 背包带, 鞋带...

Cutting Material: Nylon, ribbon, braids, color ribbon, backpack, laces...



HAOXINHE



Website



WA for video

## HX-103 高速商标切带机

### HX-103 high speed cutter

切割速度: 300-500片 (以50mm长度为例)

Cutting Speed: 300-500pcs/min

切割材质: 布标, 洗水唛, 尼龙标...

Cutting Material: woven labels, Wash water labels, nylon labels



Blade	Voltage	Power	Weight	Cutting length	Cutting width
hot cold	110/220V	0.48kw	28/32kg	1-99999mm	1-125mm

Blade	Voltage	Power	Weight	Cutting length	Cutting width
hot cold	110/220V	1.5kw	45/50kg	1-10000mm	1-100mm

## HX-100 tube spacial cutter

切割速度: 100-120片 (以50mm长度为例)

Cutting Speed: 100-120pcs/min

切割材质: pvc 套管, 热缩管, 玻纤管, 黄蜡管, 铁氟龙套管, 镍带...

Cutting Material: Pvc casing, heat shrinkable tube, glass fiber tube, yellow wax tube, Teflon sleeve, nickel Belt...



Website



WA for video

## HX-100D steel wire and iron cutter

切割速度: 100-120片 (以50mm长度为例)

Cutting Speed: 80-110pcs/min

切割材质: 钢丝, 铜线, 铁片, 铜铝箔, 绝缘纸, 小电线...

Cutting Material: Steel wire, copper wire, iron sheet, copper foil, insulating paper, small wire...



Blade	Voltage	Power	Weight	Cutting length	Cutting width
cold	110/220V	0.25kw	23/25kg	1-99999mm	1-95mm

Blade	Voltage	Power	Weight	Cutting length	Cutting width
cold	110/220V	0.25kw	23/25kg	1-99999mm	1-95mm



★ HX-CP41 / HX-CP61 / HX-CP81

Orbital Tube Saw Stainless Steel Carbon Steel  
Pipe Cutting Machine



Website



WA for video

★ Introduction

Orbital Tube Saw Stainless Steel Carbon Steel Pipe Cutting Machine

Advance your metal fabrication capabilities with the Orbital Tube Saw Stainless Steel Carbon Steel Pipe Cutting Machine, an essential tool for precision cutting of stainless steel and carbon steel pipes. This robust machine is engineered for high-performance cutting, ensuring clean, burr-free cuts that are essential for high-quality welds and fittings.

Key Features:

Precision Orbital Cutting: Delivers perfect, perpendicular cuts every time, minimizing the need for post-cut finishing and ensuring that each section is ready for further processing.  
High-Speed Operation: Maximizes productivity with fast cutting speeds that do not compromise the integrity or accuracy of the cut.

Model	Cutting Thickness	Cutting Diameter	Weight
HX-CP41/61/81	1-7 / 2-8 / 2-8mm	19-120/50-175/125-228mm	95/120/140kg

★ HX-CX42

Stainless Steel Clean Double Blade Head Pipe  
Cutting Machine



★ Introduction

Stainless Steel Clean Double Blade Head Pipe Cutting Machine

Elevate your cutting process with the Stainless Steel Clean Double Blade Head Pipe Cutting Machine, specifically designed for high-precision cutting of stainless steel pipes. This machine features a unique double blade head system that ensures clean, square cuts with minimal burr, reducing the need for further finishing and ensuring immediate readiness for installation or welding.

Key Features:

Double Blade Head Technology: Utilizes two simultaneously operating blades to achieve rapid, clean cuts with a significantly reduced burr presence. This technology ensures a near-mirror finish, crucial for high-purity applications.

Model	Cutting Thickness	Cutting Diameter	Weight
★ HX-CX42	1-7 mm	12-120mm	65kg





**HAOXINHE**

Quality is our culture!  
Your satisfaction is our motivation!



Website

Mob: +86-13270987536

Tel: +86-189-13246273

E-mail: cherryhaoxinhez@gmail.com

haoxinhe6@foxmail.com

Web: <https://hxcuttingmachine.com>

Add: 727 Unit 105 Huaduyishu 215313 Zhoushi Kunshan Jiangsu China

*Suzhou Haoxinhe Electrical Equipment Co., Ltd.*



Wechat

